POPULAR OPTIONS

// SIDE OPTIONS

The addition of any of Knapheide's extensive platform side options can transform your platform into a multi-functional body for many uses.



STAKE RACKS

Stake racks are compatible with all Knapheide platforms. Choose between interlocking clip or quiet latch stake racks. Racks are completely immersed in Knapheide's electrodeposition prime-paint system and have a black painted finish.

Stake racks are available in 28" or 40" high sides.



REFUSE SIDES - PUNCHED

Punched refuse sides are compatible with the PVMX series platforms and the BH4096C bulkhead. Rear doors are equipped with a latch and bail system, pivot up to 270 degrees and can be secured in the open or closed position.

Refuse sides are available in solid or partially punched versions.



REFUSE SIDES - SOLID

Solid refuse sides are compatible with all the PVMX series platforms. Racks are completely immersed in Knapheide's electrodeposition prime-paint system for superior corrosion resistance. Solid refuse sides can be used for a wide variety of applications.

Solid refuse sides are available in 40" height and 9' and 12' lengths only.



CONTRACTOR E-Z LOADER DROP SIDE PACKAGE

Drop side contractor packages are compatible with PVMX and PCH series platforms. Each side drops down to a full 180 degrees for easy access. Sides feature 45-degree slatted rub rails. The tailgate is double-acting and features a quick release handle for easy operation.

Drop sides are available in lengths from 8' up to 12'.



CONTRACTOR FIXED SIDE PACKAGE

Fixed side contractor packages are compatible with PVMX and PCH series platforms up to 16' in length. A stake pocket model bulkhead and 14' high sides are standard. Tailgate may be lowered and secured parallel to the ground, dropped down to 180 degrees, or removed completely.




LANDSCAPER RACKS

Landscaper racks are compatible with 96 series PVMX platforms and BH, BHR and BHRB4096C bulkheads. They feature center punch panels and a quiet mount system that utilizes the stake pockets. The rear doors can pivot 270 degrees and lock into the full open position.

Landscaper racks are available for 9'. 12' and 14' models.

// BULKHEADS

Knapheide bulkheads are built for functionality and style. The use of long lasting durable materials and strong structural design protect you from the heaviest load, keeping you and your truck safe.



BH SERIES

- · Rectangular bulkhead
- Drop-in style with punched window
- Compatible with all platforms, recommended for stake racks
- Bulkhead material: 11-gauge high strength steel (102 Series 56" models are 10-gauge)
- Vertical post material: 13-gauge high strength steel



BHG SERIES

- · Rectangular bulkhead
- Drop-in style with punched window and attached gussets
- Compatible with all platforms, recommended for stake racks
- Bulkhead material: 11-gauge high strength steel (102 Series 56" models are 10-gauge)
- Vertical post material: 13-gauge high strength steel



BHR AND BHRB SERIES

- Rectangular bulkhead, heavy duty reinforced
- · Weld-on (BHR) and bolt-on (BHRB) style with punched window
- Compatible with all platforms
- Bulkhead material: 11-gauge high strength steel (102 Series 56" models are 10-gauge)
- Vertical post material: 11-gauge high strength steel outer post, 3" structural channel inner post



BHTS SERIES

- Westerner bulkhead
- Drop-in style with punched window
- Styled for Westerner platform
- Compatible with all platforms. Compatible only with 6", 12" and 28" racks
- Bulkhead material: 14-gauge high strength steel
- Vertical post material: 13-gauge high strength steel



BHT SERIES

- · Tapered bulkhead
- Drop-in style with punched window
- Compatible with all platforms. Not compatible with racks or grain sides.
- Bulkhead material: 11-gauge high strength steel
- Vertical post material: 13-gauge high strength steel



BHRT SERIES

- · Rectangular bulkhead
- Heavy duty, reinforced weld-on style with punched window
- · Compatible with all platforms. Not compatible with racks or grain sides.
- · Bulkhead material: 11-gauge high strength steel
- Vertical post material: 13-gauge high strength steel outer post, 3" structural channel inner post



// ROUGHNECK TOOLBOXES

- Automotive quality 3-point T-handle latches
- Continuous stainless steel hinges are pry-proof and corrosion-resistant
- Extra heavy duty door chains installed
- Continuous door seals protect against water, dirt and dust
- · Automotive grade, high gloss top coat
- Above body toolboxes available in white or black. Underbody toolboxes available in black.



// KNAPHOIST

- Rugged, stable lift arm constructed of 3/4" thick high tensile strength steel
- "Lost Motion Device" provides low mounting height resulting in greater stability
- High pressure, double-acting cylinder(s) for improved control of load when dumping
- Threaded cylinder gland cap prevents cylinder damage in "load over center" conditions
- · Automatic body bracing positioning
- 3-year warranty



// OTHER OPTIONS



APITONG WOOD FLOOR



POLY BOARD FLOOR




INTEGRATED D-RING TIE DOWNS



ROPE HOOK



UNDERBODY TIE-DOWN RAILS



UNDERBODY SLIDING TIE-DOWN CHANNEL



UNDERBODY STORAGE COMPARTMENT Available in 8' and 10' lengths



RECEIVER HITCH



KNAP-PACK

Also available in straight and tapered sides



ICC BUMPER

Other options not shown:

SPARE TIRE RETAINER

SMOOTH STEEL/TREAD PLATE OVERLAY ON WOOD FLOOR

Available in 7-gauge or 10-gauge smooth steel, or 1/8" or 3/16" tread plate